


The Certain[®] Implant System Ordering Information

When It Clicks, It's Seated. You're Certain.



Tapered Implants

P = Restorative Platform
D = Diameter



3i T3® Platform Switched

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	BOPT4385	BOPT5485	BOPT6585
10mm	BOPT4310	BOPT5410	BOPT6510
11.5mm	BOPT4311	BOPT5411	BOPT6511
13mm	BOPT4313	BOPT5413	BOPT6513
15mm	BOPT4315	BOPT5415	BOPT6515



3i T3 With DCD® Platform Switched

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	BNPT4385	BNPT5485	BNPT6585
10mm	BNPT4310	BNPT5410	BNPT6510
11.5mm	BNPT4311	BNPT5411	BNPT6511
13mm	BNPT4313	BNPT5413	BNPT6513
15mm	BNPT4315	BNPT5415	BNPT6515



NanoTite™ Tapered Certain® PREVAIL®

Titanium Alloy

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	NIITP4385	NIITP5485	NIITP6585
10mm	NIITP4310	NIITP5410	NIITP6510
11.5mm	NIITP4311	NIITP5411	NIITP6511
13mm	NIITP4313	NIITP5413	NIITP6513
15mm	NIITP4315	NIITP5415	NIITP6515



OSSEOTITE® Tapered Certain PREVAIL

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	XIITP4385	XIITP5485	XIITP6585
10mm	XIITP4310	XIITP5410	XIITP6510
11.5mm	XIITP4311	XIITP5411	XIITP6511
13mm	XIITP4313	XIITP5413	XIITP6513
15mm	XIITP4315	XIITP5415	XIITP6515

Implant Cover Screws

		3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
	Flat*	IMCSF34	ICSF41	ICSF50	ICSF60
	Standard	IMMCS1	ICS375	ICS500	ICS600
	Headless	N/A	ICS275	ICS275	ICS275

*All Implants include the corresponding Flat Cover Screw.

Tapered Implants

(Cont'd)

P = Restorative Platform
D = Diameter

3i T3® Non-Platform Switched

Commercially Pure Titanium

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	BOST3285	BOST485	BOST585	BOST685
10mm	BOST3210	BOST410	BOST510	BOST610
11.5mm	BOST3211	BOST411	BOST511	BOST611
13mm	BOST3213	BOST413	BOST513	BOST613
15mm	BOST3215	BOST415	BOST515	BOST615

3i T3 With DCD® Non-Platform Switched

Commercially Pure Titanium

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	BNST3285	BNST485	BNST585	BNST685
10mm	BNST3210	BNST410	BNST510	BNST610
11.5mm	BNST3211	BNST411	BNST511	BNST611
13mm	BNST3213	BNST413	BNST513	BNST613
15mm	BNST3215	BNST415	BNST515	BNST615

NanoTite™ Tapered Certain®

Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	NINT3285	NINT485	NINT585	NINT685
10mm	NINT3210	NINT410	NINT510	NINT610
11.5mm	NINT3211	NINT411	NINT511	NINT611
13mm	NINT3213	NINT413	NINT513	NINT613
15mm	NINT3215	NINT415	NINT515	NINT615

OSSEOTITE® Tapered Certain

Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	INT3285	INT485	INT585	INT685
10mm	INT3210	INT410	INT510	INT610
11.5mm	INT3211	INT411	INT511	INT611
13mm	INT3213	INT413	INT513	INT613
15mm	INT3215	INT415	INT515	INT615

Full OSSEOTITE Tapered Certain

Commercially Pure Titanium




Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	XIFNT3285	XIFNT485	XIFNT585	XIFNT685
10mm	XIFNT3210	XIFNT410	XIFNT510	XIFNT610
11.5mm	XIFNT3211	XIFNT411	XIFNT511	XIFNT611
13mm	XIFNT3213	XIFNT413	XIFNT513	XIFNT613
15mm	XIFNT3215	XIFNT415	XIFNT515	XIFNT615

Full OSSEOTITE Tapered Certain

Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	IFNT3285	IFNT485	IFNT585	IFNT685
10mm	IFNT3210	IFNT410	IFNT510	IFNT610
11.5mm	IFNT3211	IFNT411	IFNT511	IFNT611
13mm	IFNT3213	IFNT413	IFNT513	IFNT613
15mm	IFNT3215	IFNT415	IFNT515	IFNT615

Implant Cover Screws

		3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
	Flat*	IMCSF34	ICSF41	ICSF50	ICSF60
	Standard	IMMCS1	ICS375	ICS500	ICS600
	Headless	N/A	ICS275	ICS275	ICS275

*All Implants include the corresponding Flat Cover Screw.

Parallel Walled Implants

P = Restorative Platform
D = Diameter



3i T3® Platform Switched

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	BOPS4385	BOPS5485	BOPS6585
10mm	BOPS4310	BOPS5410	BOPS6510
11.5mm	BOPS4311	BOPS5411	BOPS6511
13mm	BOPS4313	BOPS5413	BOPS6513
15mm	BOPS4315	BOPS5415	BOPS6515



3i T3 With DCD® Platform Switched

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	BNPS4385	BNPS5485	BNPS6585
10mm	BNPS4310	BNPS5410	BNPS6510
11.5mm	BNPS4311	BNPS5411	BNPS6511
13mm	BNPS4313	BNPS5413	BNPS6513
15mm	BNPS4315	BNPS5415	BNPS6515



NanoTite™ Certain® PREVAIL®

Titanium Alloy

Length	4/3mm(P)	5/4mm(P)
8.5mm	NIIOS4385	NIIOS5485
10mm	NIIOS4310	NIIOS5410
11.5mm	NIIOS4311	NIIOS5411
13mm	NIIOS4313	NIIOS5413
15mm	NIIOS4315	NIIOS5415



OSSEOTITE®² Certain PREVAIL

Commercially Pure Titanium

Length	4/3mm(P)	5/4mm(P)	6/5mm(P)
8.5mm	XIIOS4385	XIIOS5485	XIIOS6585
10mm	XIIOS4310	XIIOS5410	XIIOS6510
11.5mm	XIIOS4311	XIIOS5411	XIIOS6511
13mm	XIIOS4313	XIIOS5413	XIIOS6513
15mm	XIIOS4315	XIIOS5415	XIIOS6515



OSSEOTITE® Certain PREVAIL

Titanium Alloy

Length	4/3mm(P)	5/4mm(P)
8.5mm	IIOS4385	IIOS5485
10mm	IIOS4310	IIOS5410
11.5mm	IIOS4311	IIOS5411
13mm	IIOS4313	IIOS5413
15mm	IIOS4315	IIOS5415

Implant Cover Screws

	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
Flat*	IMCSF34	ICSF41	ICSF50	ICSF60
Standard	IMMCS1	ICS375	ICS500	ICS600
Headless	N/A	ICS275	ICS275	ICS275

*All Implants include the corresponding Flat Cover Screw.

Parallel Walled Implants (Cont'd)

P = Restorative Platform
D = Diameter

3i T3® Non-Platform Switched
Commercially Pure Titanium

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	BOSS385	BOSS485	BOSS585	BOSS685
10mm	BOSS310	BOSS410	BOSS510	BOSS610
11.5mm	BOSS311	BOSS411	BOSS511	BOSS611
13mm	BOSS313	BOSS413	BOSS513	BOSS613
15mm	BOSS315	BOSS415	BOSS515	BOSS615
18mm	BOSS318	BOSS418	N/A	N/A

3i T3 With DCD® Non-Platform Switched
Commercially Pure Titanium

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	BNSS385	BNSS485	BNSS585	BNSS685
10mm	BNSS310	BNSS410	BNSS510	BNSS610
11.5mm	BNSS311	BNSS411	BNSS511	BNSS611
13mm	BNSS313	BNSS413	BNSS513	BNSS613
15mm	BNSS315	BNSS415	BNSS515	BNSS615
18mm	BNSS318	BNSS418	N/A	N/A

NanoTite™ Parallel Walled Certain®
Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	NIOSM385	NIOSS485	NIOSS585	NIOSS685
10mm	NIOSM310	NIOSS410	NIOSS510	NIOSS610
11.5mm	NIOSM311	NIOSS411	NIOSS511	NIOSS611
13mm	NIOSM313	NIOSS413	NIOSS513	NIOSS613
15mm	NIOSM315	NIOSS415	NIOSS515	NIOSS615
18mm	NIOSM318	NIOSS418	N/A	N/A

OSSEOTITE® Parallel Walled Certain
Commercially Pure Titanium

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	XIFOSM385	XIFOSS485	XIFOSS585	XIFOSS685
10mm	XIFOSM310	XIFOSS410	XIFOSS510	XIFOSS610
11.5mm	XIFOSM311	XIFOSS411	XIFOSS511	XIFOSS611
13mm	XIFOSM313	XIFOSS413	XIFOSS513	XIFOSS613
15mm	XIFOSM315	XIFOSS415	XIFOSS515	XIFOSS615




OSSEOTITE® Parallel Walled Certain
Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	IOSM385	IOSS485	IOSS585	IOSS685
10mm	IOSM310	IOSS410	IOSS510	IOSS610
11.5mm	IOSM311	IOSS411	IOSS511	IOSS611
13mm	IOSM313	IOSS413	IOSS513	IOSS613
15mm	IOSM315	IOSS415	IOSS515	IOSS615
18mm	IOSM318	IOSS418	N/A	N/A
20mm	N/A	IOSS420	N/A	N/A

Full OSSEOTITE Parallel Walled Certain
Titanium Alloy

Length	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
8.5mm	IFOSM385	IFOS485	IFOS585	IFOS685
10mm	IFOSM310	IFOS410	IFOS510	IFOS610
11.5mm	IFOSM311	IFOS411	IFOS511	IFOS611
13mm	IFOSM313	IFOS413	IFOS513	IFOS613
15mm	IFOSM315	IFOS415	IFOS515	IFOS615

Implant Cover Screws













	3.25mm(D)	4mm(D)	5mm(D)	6mm(D)
 Flat*	IMCSF34	ICSF41	ICSF50	ICSF60
 Standard	IMMCS1	ICS375	ICS500	ICS600
 Headless	N/A	ICS275	ICS275	ICS275

*All Implants include the corresponding Flat Cover Screw.

Healing Abutments

D = Diameter
P = Emergence Profile
H = Collar Height

BellaTek® Encode® Two-Piece Healing Abutments





	Dimensions	Item #		Dimensions	Item #
	3.8mm(P) X 3mm(H)	IEHA343		5.6mm(P) X 3mm(H)	IEHA553
	3.8mm(P) X 4mm(H)	IEHA344		5.6mm(P) X 4mm(H)	IEHA554
	3.8mm(P) X 6mm(H)	IEHA346		5.6mm(P) X 6mm(H)	IEHA556
	3.8mm(P) X 8mm(H)	IEHA348		5.6mm(P) X 8mm(H)	IEHA558
	5mm(P) X 3mm(H)	IEHA353		6mm(P) X 3mm(H)	IEHA563
	5mm(P) X 4mm(H)	IEHA354		6mm(P) X 4mm(H)	IEHA564
	5mm(P) X 6mm(H)	IEHA356		6mm(P) X 6mm(H)	IEHA566
	5mm(P) X 8mm(H)	IEHA358		6mm(P) X 8mm(H)	IEHA568
	4.1mm(P) X 3mm(H)	IEHA443		7.5mm(P) X 3mm(H)	IEHA573
	4.1mm(P) X 4mm(H)	IEHA444		7.5mm(P) X 4mm(H)	IEHA574
	4.1mm(P) X 6mm(H)	IEHA446		7.5mm(P) X 6mm(H)	IEHA576
	4.1mm(P) X 8mm(H)	IEHA448		7.5mm(P) X 8mm(H)	IEHA578
	5mm(P) X 3mm(H)	IEHA453		6.8mm(P) X 3mm(H)	IEHA663
	5mm(P) X 4mm(H)	IEHA454		6.8mm(P) X 4mm(H)	IEHA664
	5mm(P) X 6mm(H)	IEHA456		6.8mm(P) X 6mm(H)	IEHA666
	5mm(P) X 8mm(H)	IEHA458		6.8mm(P) X 8mm(H)	IEHA668
	6mm(P) X 3mm(H)	IEHA463		7.5mm(P) X 3mm(H)	IEHA673
	6mm(P) X 4mm(H)	IEHA464		7.5mm(P) X 4mm(H)	IEHA674
	6mm(P) X 6mm(H)	IEHA466		7.5mm(P) X 6mm(H)	IEHA676
	6mm(P) X 8mm(H)	IEHA468		7.5mm(P) X 8mm(H)	IEHA678
	7.5mm(P) X 3mm(H)	IEHA473		Occlusal markings provide information to aid in the design of patient specific abutments.	
	7.5mm(P) X 4mm(H)	IEHA474			
	7.5mm(P) X 6mm(H)	IEHA476			
	7.5mm(P) X 8mm(H)	IEHA478			


Healing Abutments

(Cont'd)

D = Diameter
P = Emergence Profile
H = Collar Height

EP® One-Piece Healing Abutments

Dimensions	Item #	Dimensions	Item #
3.4mm(D) 	3.4mm(P) X 2mm(H)	ISMHA32	5mm(D) 
	3.4mm(P) X 3mm(H)	ISMHA33	
	3.4mm(P) X 4mm(H)	ISMHA34	
	3.4mm(P) X 6mm(H)	ISMHA36	
	3.8mm(P) X 2mm(H)	IMHA32	
	3.8mm(P) X 3mm(H)	IMHA33	
	3.8mm(P) X 4mm(H)	IMHA34	
	3.8mm(P) X 6mm(H)	IMHA36	
	5mm(P) X 2mm(H)	IMHA352	
	5mm(P) X 3mm(H)	IMHA353	
	5mm(P) X 4mm(H)	IMHA354	
	5mm(P) X 6mm(H)	IMHA356	
4.1mm(D) 	4.1mm(P) X 2mm(H)	ISHA42	6mm(D) 
	4.1mm(P) X 3mm(H)	ISHA43	
	4.1mm(P) X 4mm(H)	ISHA44	
	4.1mm(P) X 6mm(H)	ISHA46	
	4.1mm(P) X 8mm(H)	ISHA48	
	5mm(P) X 2mm(H)	ITHA52	
	5mm(P) X 3mm(H)	ITHA53	
	5mm(P) X 4mm(H)	ITHA54	
	5mm(P) X 6mm(H)	ITHA56	
	5mm(P) X 8mm(H)	ITHA58	
	6mm(P) X 3mm(H)	ITHA63	
	6mm(P) X 4mm(H)	ITHA64	
6mm(P) X 6mm(H)	ITHA66		
6mm(P) X 8mm(H)	ITHA68		
7.5mm(P) X 3mm(H)	ITHA73		
7.5mm(P) X 4mm(H)	ITHA74		
7.5mm(P) X 6mm(H)	ITHA76		
7.5mm(P) X 8mm(H)	ITHA78		
		6.8mm(P) X 2mm(H)	IWTH62
		6.8mm(P) X 3mm(H)	IWTH63
		6.8mm(P) X 4mm(H)	IWTH64
		6.8mm(P) X 6mm(H)	IWTH66
		6.8mm(P) X 8mm(H)	IWTH68
		7.5mm(P) X 2mm(H)	IWTH672
		7.5mm(P) X 3mm(H)	IWTH673
		7.5mm(P) X 4mm(H)	IWTH674
		7.5mm(P) X 6mm(H)	IWTH676
		7.5mm(P) X 8mm(H)	IWTH678



Impression Copings, Laboratory Components & Provisional Restorations

Impression Copings

Pick-Up Impression Coping

	Description	Item #
	3.4mm(D) 3.4mm(P)	IMIC30
	3.8mm(P)	IMIC33
	5mm(P)	IMIC35
	4.1mm(D) 4.1mm(P)	IIC41
	4.1mm(P) (Non-Hexed)	IIC42
	5mm(P)	IIC12
	6mm(P)	IIC60
	7.5mm(P)	IIC75
	5mm(D) 5mm(P)	IWIP50
	5.6mm(P)	IWIP55
	6mm(P)	IWIP56
	7.5mm(P)	IWIP57
	6mm(D) 6mm(P)	IWIP60
	6.8mm(P)	IWIP66
	7.5mm(P)	IWIP67

Twist Lock™ Transfer Impression Coping

	Description	Item #
	3.4mm(D) 3.8mm(P)	IMIT33
	5mm(P)	IMIT35
	4.1mm(D) 4.1mm(P)	IIC44
	5mm(P)	IIC45
	6mm(P)	IIC46
	7.5mm(P)	IIC47
	5mm(D) 5mm(P)	IWIT50
	5.6mm(P)	IWIT55
	6mm(P)	IWIT56
	7.5mm(P)	IWIT57
	6mm(D) 6mm(P)	IWIT60
	6.8mm(P)	IWIT66
	7.5mm(P)	IWIT67

Laboratory Components

Implant Laboratory Analog

Description	Item #
	IMMILA
4.1mm(D)	IILA20
5mm(D)	IILAW5
6mm(D)	IILAW6

GingiHue® & UCLA Polishing Protector

Description	Item #
	IPPM
4.1mm(D)	IPPIA3
5mm(D)	IPPIA5
6mm(D)	IPPIA6

PreFormance® Post*

	Description	Item #	Item #
	3.4mm(D) 3.8mm(P) X 4mm(H)	Straight IMPFP34	Pre-Angled (15°) IMPAPF34
	3.8mm(P) X 6mm(H)	IMPFP36	IMPAPF36
	5mm(P) X 4mm(H)	IMPFP354	IMPAPF354
	5mm(P) X 6mm(H)	IMPFP356	IMPAPF356
	4.1mm(D) 5mm(P) X 4mm(H)	IPFP454	IPAPF454
	5mm(P) X 6mm(H)	IPFP456	IPAPF456
	5mm(D) 5mm(P) X 4mm(H)	IWFPF554	IPAPF554
	5mm(P) X 6mm(H)	IWFPF556	IPAPF556
	6mm(D) 6mm(P) X 4mm(H)	IWFPF664	IPAPF664
	6mm(P) X 6mm(H)	IWFPF666	IPAPF666

PreFormance Temporary Cylinder*

Description	Item #	Item #
	3.4mm(D) Hexed	IMPFTC34
	Non-Hexed	IMPFTC32
	4.1mm(D) Hexed	IPFTC41
	Non-Hexed	IPFTC42
	5mm(D) Hexed	IWPFTC51
	Non-Hexed	IWPFTC52
	6mm(D) Hexed	IWPFTC61
	Non-Hexed	IWPFTC62

Titanium Temporary Cylinder*




Description	Item #	Item #
	3.4mm(D) Hexed	IMMTCS1
	Non-Hexed	N/A
	4.1mm(D) Hexed	IITCS41
	Non-Hexed	IITCS42
	5mm(D) Hexed	IWTCS51
	Non-Hexed	IWTCS52
	6mm(D) Hexed	IWTCS61
	Non-Hexed	IWTCS62

*Includes Certain® Titanium Hexed Screw

D = Diameter
P = Emergence Profile
H = Collar Height

Cement-Retained Restorations


Provide® Abutment

	Description	Abutment Only	Placement Kit*	Restorative Kit**
 <p>4.1mm(D)</p>	1mm(H) X 4.8mm(P) X 4mm(PH)	▶ IPA4140	▶ PAK4140	▶ PRK484
	2mm(H) X 4.8mm(P) X 4mm(PH)	▶ IPA4240	▶ PAK4240	▶ PRK484
	3mm(H) X 4.8mm(P) X 4mm(PH)	▶ IPA4340	▶ PAK4340	▶ PRK484
	4mm(H) X 4.8mm(P) X 4mm(PH)	▶ IPA4440	▶ PAK4440	▶ PRK484
	1mm(H) X 4.8mm(P) X 5.5mm(PH)	▶ IPA4155	▶ PAK4155	▶ PRK485
	2mm(H) X 4.8mm(P) X 5.5mm(PH)	▶ IPA4255	▶ PAK4255	▶ PRK485
	3mm(H) X 4.8mm(P) X 5.5mm(PH)	▶ IPA4355	▶ PAK4355	▶ PRK485
	4mm(H) X 4.8mm(P) X 5.5mm(PH)	▶ IPA4455	▶ PAK4455	▶ PRK485
 <p>5mm(D)</p>	1mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA5140	▶ PAK5140	▶ PRK654
	2mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA5240	▶ PAK5240	▶ PRK654
	3mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA5340	▶ PAK5340	▶ PRK654
	4mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA5440	▶ PAK5440	▶ PRK654
	1mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA5155	▶ PAK5155	▶ PRK655
	2mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA5255	▶ PAK5255	▶ PRK655
	3mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA5355	▶ PAK5355	▶ PRK655
	4mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA5455	▶ PAK5455	▶ PRK655
 <p>6mm(D)</p>	1mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA6140	▶ PAK6140	▶ PRK654
	2mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA6240	▶ PAK6240	▶ PRK654
	3mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA6340	▶ PAK6340	▶ PRK654
	4mm(H) X 6.5mm(P) X 4mm(PH)	▶ IPA6440	▶ PAK6440	▶ PRK654
	1mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA6155	▶ PAK6155	▶ PRK655
	2mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA6255	▶ PAK6255	▶ PRK655
	3mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA6355	▶ PAK6355	▶ PRK655
	4mm(H) X 6.5mm(P) X 5.5mm(PH)	▶ IPA6455	▶ PAK6455	▶ PRK655


*Abutment Placement Kit includes Provide Abutment, Protection Cap and Certain® Gold-Tite® Hexed Screw (IUNIHG).

**Abutment Restorative Kit includes Impression Coping, Impression Coping w/Holes, Waxing Sleeve (single-unit), Waxing Sleeve (multi-unit) and Non-Prepared Analog.


Provide Abutment Protection Cap

Description	Item #
 4.8mm(P) X 4mm(PH)	PPC484
4.8mm(P) X 5.5mm(PH)	PPC485
6.5mm(P) X 4mm(PH)	PPC654
6.5mm(P) X 5.5mm(PH)	PPC655

Provide Abutment Impression Coping (Unprepared)


Description	Item #
 4.8mm(P) X 4mm(PH)	▶ PIC484
4.8mm(P) X 5.5mm(PH)	▶ PIC485
6.5mm(P) X 4mm(PH)	▶ PIC654
6.5mm(P) X 5.5mm(PH)	▶ PIC655

Provide Abutment Impression Coping W/Holes (Prepared)


Description	Item #
 4.8mm(P) X 4mm(PH)	PIC484H
4.8mm(P) X 5.5mm(PH)	PIC485H
6.5mm(P) X 4mm(PH)	PIC654H
6.5mm(P) X 5.5mm(PH)	PIC655H

D = Diameter
P = Emergence Profile
H = Collar Height
PH = Post Height


Provide Abutment Analog (Unprepared)

Description	Item #
 4.8mm(P) X 4mm(PH)	▶ PAA484
4.8mm(P) X 5.5mm(PH)	▶ PAA485
6.5mm(P) X 4mm(PH)	▶ PAA654
6.5mm(P) X 5.5mm(PH)	▶ PAA655


Provide Abutment Analog W/Pin (Prepared)

Description	Item #
 4.8mm(P)	PAAP48
6.5mm(P)	PAAP65

Provide Abutment Waxing Sleeve

Description	Item #
 4.8mm(P) Single-Unit	PWS48S
4.8mm(P) Multi-Unit	PWS48M
6.5mm(P) Single-Unit	PWS65S
6.5mm(P) Multi-Unit	PWS65M

Provide Abutment Temporary Cylinder


Description	Item #
 4.8mm(P) Single-Unit	PUA48S
4.8mm(P) Multi-Unit	PUA48M
6.5mm(P) Single-Unit	PUA65S
6.5mm(P) Multi-Unit	PUA65M

Cement-Retained Restorations

(Cont'd)

D = Diameter
P = Emergence Profile
H = Collar Height

GingiHue® Post*





	Description	Item #	Item #
	3.4mm(D) 3.8mm(P) X 2mm(H) 3.8mm(P) X 4mm(H) 5mm(P) X 2mm(H) 5mm(P) X 4mm(H)	Straight	Pre-Angled (15°)
		IMAP32G	IMPAP32G
		IMAP34G	IMPAP34G
		IMAP352G	IMPAP352G
		IMAP354G	IMPAP354G
4.1mm(D) 5mm(P) X 2mm(H) 5mm(P) X 4mm(H) 6mm(P) X 2mm(H) 6mm(P) X 4mm(H) 7.5mm(P) X 2mm(H) 7.5mm(P) X 4mm(H)	IAPP452G	IPAP452G	
	IAPP454G	IPAP454G	
	IAPP462G	IPAP462G	
	IAPP464G	IPAP464G	
	IAPP472G	IPAP472G	
	IAPP474G	IPAP474G	
5mm(D) 5mm(P) X 2mm(H) 5mm(P) X 4mm(H) 6mm(P) X 2mm(H) 6mm(P) X 4mm(H) 7.5mm(P) X 2mm(H) 7.5mm(P) X 4mm(H)	IWPP552G	IPAP552G	
	IWPP554G	IPAP554G	
	IWPP562G	IPAP562G	
	IWPP564G	IPAP564G	
	IWPP572G	IPAP572G	
	IWPP574G	IPAP574G	
6mm(D) 6mm(P) X 2mm(H) 6mm(P) X 4mm(H) 7.5mm(P) X 2mm(H) 7.5mm(P) X 4mm(H)	IWPP662G	IPAP662G	
	IWPP664G	IPAP664G	
	IWPP672G	IPAP672G	
	IWPP674G	IPAP674G	

*GingiHue Posts do not include the screw. The final Gold-Tite® Screw (IUNIHG) must be ordered separately.

Cement-Retained Restorations (Cont'd)

D = Diameter

UCLA Abutment* (For Use With Screw-Retained Restorations Unless Otherwise Noted)

	Description		Item #
	3.4mm(D)	Gold Hexed	IMUCG1C* (Cement- Or Screw-Retained)
		Gold Non-Hexed (With Gold-Tite® Large Diameter Screw)	IMUCG2C
		Gold Non-Hexed (With Ti Large Diameter Screw)	IMUCG2T
		Castable Non-Hexed (With Gold-Tite Large Diameter Screw)	IMUCC2C
		Castable Non-Hexed (With Ti Large Diameter Screw)	IMUCC2T
	4.1mm(D)	Gold Hexed	IGUCA1C* (Cement- Or Screw-Retained)
		Gold Non-Hexed (With Gold-Tite Large Diameter Screw)	IGUCA2C
		Gold Non-Hexed (With Ti Large Diameter Screw)	IGUCA2T
		Castable Non-Hexed (With Gold-Tite Large Diameter Screw)	IUNAB2C
		Castable Non-Hexed (With Ti Large Diameter Screw)	IUNAB2T
	5mm(D)	Gold Hexed	IWGA51C* (Cement- Or Screw-Retained)
		Gold Non-Hexed (With Gold-Tite Large Diameter Screw)	IWGA52C
		Gold Non-Hexed (With Ti Large Diameter Screw)	IWGA52T
		Castable Non-Hexed (With Gold-Tite Large Diameter Screw)	IWPC52C
		Castable Non-Hexed (With Ti Large Diameter Screw)	IWPC52T
	6mm(D)	Gold Hexed	IWGA61C* (Cement- Or Screw-Retained)
		Gold Non-Hexed (With Gold-Tite Large Diameter Screw)	IWGA62C
		Gold Non-Hexed (With Ti Large Diameter Screw)	IWGA62T
		Castable Non-Hexed (With Gold-Tite Large Diameter Screw)	IWPC62C
		Castable Non-Hexed (With Ti Large Diameter Screw)	IWPC62T

*UCLA Hexed Abutments do not include the screw. The final Gold-Tite Screw (IUNIHG) or the Titanium Screw (IUNIHT) must be ordered separately.

Screw-Retained Restorations




Low Profile Abutment*

	Collar Height	One Piece	Two Piece	17°	30°
Seating Surface 3.4mm(D)	1mm	ILPC341U	ILPC341	–	–
	2mm	ILPC342U	ILPC342	ILPAC3217	–
	3mm	ILPC343U	ILPC343	–	ILPAC3330
	4mm	ILPC344U	ILPC344	ILPAC3417	–
	5mm	–	–	–	ILPAC3530
4.1mm(D)	1mm	ILPC441U	ILPC441	–	–
	2mm	ILPC442U	ILPC442	ILPAC4217	–
	3mm	ILPC443U	ILPC443	–	ILPAC4330
	4mm	ILPC444U	ILPC444	ILPAC4417	–
	5mm	–	–	–	ILPAC4530
5mm(D)	1mm	ILPC541U	ILPC541	–	–
	2mm	ILPC542U	ILPC542	ILPAC5217	–
	3mm	ILPC543U	ILPC543	–	ILPAC5330
	4mm	ILPC544U	ILPC544	ILPAC5417	–
	5mm	–	–	–	ILPAC5530



*Requires the use of an Abutment Driver (PAD00, PAD24) or Driver Tip (RASA3).

Low Profile Screws


Description	Item #
 Gold-Tite® Retaining Screw	LPCGSH*
Titanium Retaining Screw	LPCTSH*
Waxing Screw	LPCWS

*The recommended torque for the Retaining Screws is 10Ncm.


Low Profile Laboratory Tools

Description	Item #
 Lapping Tool	LPCAMI
 Polishing Protector	LPCPP


Low Profile Impression Copings & Analog

Description	Item #
 Pick Up Impression Coping (Hexed)	LPCPIC1
Pick Up Impression Coping (Non-Hexed)	LPCPIC2
Twist Lock™ Impression Coping (Hexed)	LPCTIC1
Twist Lock Impression Coping (Non-Hexed)	LPCTIC2
QuickBridge® Impression Coping	LPCRIC
Laboratory Analog	LPCLA


Low Profile Provisional Restoration Components

Description	Item #
 Temporary Cylinder (Hexed)	LPCTC1
Temporary Cylinder (Non-Hexed)	LPCTC2
PreFormance® Temporary Cylinder (Hexed)	LPCPTC1
PreFormance Temporary Cylinder (Non-Hexed)	LPCPTC2
Healing Cap	LPCHC
QuickBridge	LPCQB
QuickBridge Replacement Cap	LPCQBCAP
Distal Extension	LPCDE

Low Profile Final Restoration Components

Description	Item #
 Gold Cylinder (Hexed)	LPCGC1
Gold Cylinder (Non-Hexed)	LPCGC2
Castable Cylinder (Hexed)	LPCCC1
Castable Cylinder (Non-Hexed)	LPCCC2
Laser Welded Cylinder	LPCTUCA


Large Hexed Driver & Driver Tip

Description	Item #
 Large Hexed Driver	PHD02N, PHD03N*
Large Hexed Driver Tip	RASH3N, RASH8N*
Posterior Abutment Driver 17mm(L)	PAD00
Standard Abutment Driver 24mm(L)	PAD24

*Made narrower to fit with external hexed angled Low Profile Abutments. The Driver and Driver Tips can be identified by a laser marked dot after the item number as pictured below.





Low Profile Bone Profilers


Description	Item #
 Bone Profiler, 3.4mm(D)	LPCBP3
Bone Profiler, 4.1mm(D)	LPCBP4
Bone Profiler, 5mm(D)	LPCBP5

Overdenture Restorations















LOCATOR® Abutment*

	Description	Item #
Seating Surface 	1mm(H)	IMLOA001
	2mm(H)	IMLOA002
	3mm(H)	IMLOA003
	4mm(H)	IMLOA004
	5mm(H)	IMLOA005
	6mm(H)	IMLOA006
	1mm(H)	ILOA001
	2mm(H)	ILOA002
	3mm(H)	ILOA003
	4mm(H)	ILOA004
	5mm(H)	ILOA005
	6mm(H)	ILOA006

*Included with each abutment:








LOCATOR Abutment Components

Description	Item #
 Impression Coping (one time use)	LAIC1
 Laboratory Analog	LALA1
 Core Tool/Abutment Driver	LCTDR1
 Driver Tip 24mm/30mm	LOADT4/LOADT9
 Replacement Housing Kit	LORHK
 Extended Range Males (4-pack) - Green	LAERM
 Extra Light Retention Males (4-pack) - Blue	LAELM
 Light Retention Replacement Males (4-pack) - Pink	LLRMS
 Replacement Males (4-pack) - White	LARMS
 Extra Light Retention Extended Range Males - Red	LELARM
 Replacement Housing	LOAH
 1.25mm .050in. Driver Tip 24mm(L) - used with LCTDR1	RASH4
 1.25mm .050in. Driver Tip 30mm(L) - used with LCTDR1	RASH9
 Male Extraction Tool	LOA8397*

*Part of the Core Tool/Abutment Driver LCTDR1.





Screws, Drivers, Driver Tips & Misc. Items

Abutment Screws (UCLA, GingiHue®, Provide®)

Description	Item #
 Gold-Tite® Hexed Screw	IUNIHG*
 Titanium Hexed Screw	IUNIHT*
 Gold-Tite Hexed Large Diameter Screw	ILRGHG*
 Titanium Hexed Large Diameter Screw	ILRGHT*
 ZiReal® Gold-Tite Hexed Screw	IZSHG*









*The recommended torque for the Abutment Screws is 20Ncm.

Try-In & Impression Coping Screws

Description	Item #
 Hexed Try-In Screw (5-pack)	IUNITS*
 Knurled Implant Waxing Screw/Guide Pin	IWSU30
 Twist Lock™ Coping Screw	IWITSC
 ZiReal Titanium Try-in Screw	IZIRTS

*Only for GingiHue Posts, Hexed UCLA Abutments and Hexed Titanium Temporary Cylinders.

Drivers, Driver Tips & Miscellaneous Items

Description	Item #
 Narrow Posterior Large Hexed Driver 17mm	PHD02N
 Narrow Standard Large Hexed Driver 24mm	PHD03N
 Posterior Abutment Driver 17mm	PAD00
 Posterior Abutment Driver 24mm	PAD24
 Manual Interchangeable Driver Tip Handle	MIDTH
 Twist Lock Coping Driver	ICD00
 Laboratory Abutment Holder (all diameters)	ILTAH57
 Certain® QuickSeat® Activator Tool	IQSA01
 Screw Removal Kit	ISRT10
 Narrow Right Angle Hexed Driver Tip 24mm	RASH3N
 Narrow Right Angle Hexed Driver Tip 30mm	RASH8N
 Right Angle Abutment Driver Tip - Steel	RASA3

D = Diameter
H = Collar Height

Tapered Implants Surgical Kits



P = Restorative Platform
D = Diameter
L = Length

QNTSK Contents

QNTSK40 Premium Kit

QNTSK40U Upgrade Kit

QNTSK20 Starter Kit

QNTSK40 Premium Kit

QNTSK40U Upgrade Kit

QNTSK20 Starter Kit

Description	Item #	Description	Item #
Tapered Implant Depth Indicator 3.25mm(D) X 8.5mm(L) 3 Ea.	NTDI3285	Quad Shaping Drill 6mm(D) X 13mm(L)	QSD613
Tapered Implant Depth Indicator 3.25mm(D) X 10mm(L)	NTDI3210	Quad Shaping Drill 6mm(D) X 15mm(L)	QSD615
Tapered Implant Depth Indicator 3.25mm(D) X 11.5mm(L)	NTDI3211	Narrow Posterior Hexed Driver - 17mm(L)	PHD00N
Tapered Implant Depth Indicator 3.25mm(D) X 13mm(L)	NTDI3213	Posterior Large Hexed Driver - 17mm(L)	PHD02N
Tapered Implant Depth Indicator 3.25mm(D) X 15mm(L)	NTDI3215	Narrow Right Angle Large Hexed Driver Tip - 24mm(L)	RASH3N
Tapered Implant Depth Indicator 4mm(D) X 8.5mm(L) 3 Ea.	NTDI485	Certain Universal Ratchet Ext. Driver 4.1, 5, 6mm(D) - Short	IRE100U
Tapered Implant Depth Indicator 4mm(D) X 10mm(L)	NTDI410	Certain Universal Ratchet Ext. Driver 4.1, 5, 6mm(D) - Long	IRE200U
Tapered Implant Depth Indicator 4mm(D) X 11.5mm(L)	NTDI411	Direction Indicator 2mm(D) X 10mm(L) 3 Ea.	DI100
Tapered Implant Depth Indicator 4mm(D) X 13mm(L)	NTDI413	ACT Drill Extension	ACTDE
Tapered Implant Depth Indicator 4mm(D) X 15mm(L)	NTDI415	Handpiece Connector	MDR10
Tapered Implant Depth Indicator 5mm(D) X 8.5mm(L) 3 Ea.	NTDI585	Implant Mount 3.4mm(D) X 15mm(L)	MMC15
Tapered Implant Depth Indicator 5mm(D) X 10mm(L)	NTDI510	Certain Implant Driver Tip 4, 5, 6mm(D) - Long	IIPDTL
Tapered Implant Depth Indicator 5mm(D) X 11.5mm(L)	NTDI511	Certain Implant Driver Tip 4, 5, 6mm(D) - Short	IIPDTS
Tapered Implant Depth Indicator 5mm(D) X 13mm(L)	NTDI513	Certain Implant Driver Tip 3.4mm(D) - Short	IMPDTS
Tapered Implant Depth Indicator 5mm(D) X 15mm(L)	NTDI515	Certain Implant Driver Tip 3.4mm(D) - Long	IMPDTL
Tapered Implant Depth Indicator 6mm(D) X 8.5mm(L) 3 Ea.	NTDI685	Tapered Implant Dense Bone Tap 3.25mm(D) X 8.5mm(L)	NTAP3285
Tapered Implant Depth Indicator 6mm(D) X 10mm(L)	NTDI610	Tapered Implant Dense Bone Tap 3.25mm(D) X 10mm(L)	NTAP3210
Tapered Implant Depth Indicator 6mm(D) X 11.5mm(L)	NTDI611	Tapered Implant Dense Bone Tap 3.25mm(D) X 11.5mm(L)	NTAP3211
Tapered Implant Depth Indicator 6mm(D) X 13mm(L)	NTDI613	Tapered Implant Dense Bone Tap 3.25mm(D) X 13mm(L)	NTAP3213
Tapered Implant Depth Indicator 6mm(D) X 15mm(L)	NTDI615	Tapered Implant Dense Bone Tap 3.25mm(D) X 15mm(L)	NTAP3215
ACT® Pointed Starter Drill	ACTPSD	Tapered Implant Dense Bone Tap 4mm(D) X 8.5mm(L)	NTAP485
ACT Reusable Twist Drill 2mm(D) X 10mm(L)	ACT2010	Tapered Implant Dense Bone Tap 4mm(D) X 10mm(L)	NTAP410
ACT Reusable Twist Drill 2mm(D) X 15mm(L)	ACT2015	Tapered Implant Dense Bone Tap 4mm(D) X 11.5mm(L)	NTAP411
ACT Reusable Twist Drill 2mm(D) X 20mm(L)	ACT2020	Tapered Implant Dense Bone Tap 4mm(D) X 13mm(L)	NTAP413
Certain® Countersink Drill, PREVAIL® 3/4/3mm(P)	ICD100	Tapered Implant Dense Bone Tap 4mm(D) X 15mm(L)	NTAP415
Quad Shaping Drill 3.25mm(D) X 8.5mm(L)	QSD3285	Tapered Implant Dense Bone Tap 5mm(D) X 8.5mm(L)	NTAP585
Quad Shaping Drill 3.25mm(D) X 10mm(L)	QSD3210	Tapered Implant Dense Bone Tap 5mm(D) X 10mm(L)	NTAP510
Quad Shaping Drill 3.25mm(D) X 11.5mm(L)	QSD3211	Tapered Implant Dense Bone Tap 5mm(D) X 11.5mm(L)	NTAP511
Quad Shaping Drill 3.25mm(D) X 13mm(L)	QSD3213	Tapered Implant Dense Bone Tap 5mm(D) X 13mm(L)	NTAP513
Quad Shaping Drill 3.25mm(D) X 15mm(L)	QSD3215	Tapered Implant Dense Bone Tap 5mm(D) X 15mm(L)	NTAP515
Quad Shaping Drill 4mm(D) X 8.5mm(L)	QSD485	Tapered Implant Dense Bone Tap 6mm(D) X 8.5mm(L)	NTAP685
Quad Shaping Drill 4mm(D) X 10mm(L)	QSD410	Tapered Implant Dense Bone Tap 6mm(D) X 10mm(L)	NTAP610
Quad Shaping Drill 4mm(D) X 11.5mm(L)	QSD411	Tapered Implant Dense Bone Tap 6mm(D) X 11.5mm(L)	NTAP611
Quad Shaping Drill 4mm(D) X 13mm(L)	QSD413	Tapered Implant Dense Bone Tap 6mm(D) X 13mm(L)	NTAP613
Quad Shaping Drill 4mm(D) X 15mm(L)	QSD415	Tapered Implant Dense Bone Tap 6mm(D) X 15mm(L)	NTAP615
Quad Shaping Drill 5mm(D) X 8.5mm(L)	QSD585	Open End Wrench	CW100
Quad Shaping Drill 5mm(D) X 10mm(L)	QSD510	Certain Driver Replacement O-Rings (10-pack)	IRORDR
Quad Shaping Drill 5mm(D) X 11.5mm(L)	QSD511	Tapered Implant Dense Bone Tap Kit Tray	NTAPKT
Quad Shaping Drill 5mm(D) X 13mm(L)	QSD513	Ratchet Extension Short 6mm(L)	RE100
Quad Shaping Drill 5mm(D) X 15mm(L)	QSD515	Ratchet Extension Long 15mm(L)	RE200
Quad Shaping Drill 6mm(D) X 8.5mm(L)	QSD685	Ratchet Wrench	WR150
Quad Shaping Drill 6mm(D) X 10mm(L)	QSD610	Base, Molded Insert & Smoked Lid	QNTSKT
Quad Shaping Drill 6mm(D) X 11.5mm(L)	QSD611	Implant Depth Gauge 20mm(L)	DPO20

Parallel Walled Implants Surgical Kits



D = Diameter
L = Length

PSKT Contents

PSKT40 Premium Kit

PSKT35 Certain® Premium Kit

PSKT01 Starter Kit

PSKT40 Premium Kit

PSKT35 Certain Premium Kit

PSKT01 Starter Kit

Description	Item #				Description	Item #			
Plastic Surgical Tray Organizer	PTT300I	•	•	•	Countersink Depth Indicator for CD5600	CDI5600	•	•	•
Plastic Tray Organizer for PTT300I	PTT100				• Certain Countersink Drill PREVAIL 3/4/3	ICD100	•	•	•
ACT® Reusable Twist Drill 2mm(D) X 10mm(L)	ACT2010				Countersink Depth Indicator for ICD100	ICDI100	•	•	•
ACT Reusable Twist Drill 2mm(D) X 15mm(L)	ACT2015	•	•	•	Countersink Drill 4.1mm	CD100	•		•
ACT Reusable Twist Drill 2mm(D) X 20mm(L)	ACT2020				Countersink/Pilot Drill 6mm(D)	CD600		•	•
ACT Reusable Twist Drill 2.75mm(D) X 10mm(L)	ACT2710				Pilot Drill 2-3mm(D)	PD100	•	•	•
ACT Reusable Twist Drill 2.75mm(D) X 15mm(L)	ACT2715	•	•	•	Implant Dense Bone Tap 3.25mm(D) X 18mm(L)	MTAP2		•	•
ACT Reusable Twist Drill 2.75mm(D) X 20mm(L)	ACT2720				• Implant Dense Bone Tap 4mm(D) X 13mm(L)	TAP413		•	•
ACT Reusable Twist Drill 3mm(D) X 10mm(L)	ACT3010				• Implant Dense Bone Tap 5mm(D) X 13mm(L)	TAP53S		•	•
ACT Reusable Twist Drill 3mm(D) X 15mm(L)	ACT3015	•	•	•	• Implant Dense Bone Tap 6mm(D) X 13mm(L)	TAP63S			•
ACT Reusable Twist Drill 3mm(D) X 20mm(L)	ACT3020				• OSSEOTITE® 2 Dense Bone Tap 5mm(D) X 7-13mm(L)	XTAP53S		•	•
ACT Reusable Twist Drill 3.25mm(D) X 10mm(L)	ACT3210				• OSSEOTITE 2 Dense Bone Tap 6mm(D) X 7-13mm(L)	XTAP63S			•
ACT Reusable Twist Drill 3.25mm(D) X 15mm(L)	ACT3215	•	•	•	Certain Implant Driver Tip (Short) 3.4mm(D)	IMPDTS		•	•
ACT Reusable Twist Drill 3.25mm(D) X 20mm(L)	ACT3220				• Certain Implant Driver Tip (Long) 3.4mm(D)	IMPDTL	•	•	•
ACT Reusable Twist Drill 3.85mm(D) X 10mm(L)	ACT3810	•	•	•	• Certain Implant Placement Driver Tip (Short) 4.1, 5, 6mm(D)	IIPDTS	•	•	•
ACT Reusable Twist Drill 3.85mm(D) X 15mm(L)	ACT3815	•	•	•	• Certain Implant Placement Driver Tip (Long) 4.1, 5, 6mm(D)	IIPDTL	•	•	•
ACT Reusable Twist Drill 3.85mm(D) X 20mm(L)	ACT3820	•	•	•	• Certain Universal Ratchet Extension Driver (Short) 6mm(L)	IRE100U	•	•	•
ACT Reusable Twist Drill 4.25mm(D) X 8.5mm(L)	ACT4285				• Certain Universal Ratchet Extension Driver (Long) 5mm(L)	IRE200U	•	•	•
ACT Reusable Twist Drill 4.25mm(D) X 13mm(L)	ACT4213	•	•	•	Narrow Small Hex Hand Driver 17mm(L)	PHD00N	•		•
ACT Reusable Twist Drill 4.25mm(D) X 18mm(L)	ACT4218				• Narrow Large Hex Hand Driver 17mm(L)	PHD02N	•	•	•
ACT Reusable Twist Drill 4.85mm(D) X 8.5mm(L)	ACT4885				• Narrow Large Hex Driver Tip 24mm(L)	RASH3N	•	•	•
ACT Reusable Twist Drill 4.85mm(D) X 13mm(L)	ACT4813				• Driver Tip Replacement O-Rings (10-pack)	IRORDR		•	•
ACT Reusable Twist Drill 4.85mm(D) X 18mm(L)	ACT4818				• Handpiece Connector	MDR10	•	•	•
ACT Reusable Twist Drill 5.25mm(D) X 8.5mm(L)	ACT5285				• Open End Wrench	CW100	•		•
ACT Reusable Twist Drill 5.25mm(D) X 13mm(L)	ACT5213	•	•	•	• Ratchet Wrench	WR150	•	•	•
ACT Reusable Twist Drill 5.25mm(D) X 18mm(L)	ACT5218				• Ratchet Extension (Short) 6mm(L)	RE100	•		•
ACT Drill Extension	ACTDE	•	•	•	• Ratchet Extension (Long) 15mm(L)	RE200	•	•	•
Countersink Drill OSSEOTITE XP® 4/5 PREVAIL® 4/5/4	CD4500				• Implant Depth Gauge 20mm(L)	DP020	•	•	•
Countersink Depth Indicator for CD4500	CDI4500	•	•	•	• Implant Mount 3.4mm(D) X 15mm(L)	MMC15	•		•
Countersink/Pilot Drill 5mm(D)	CD500	•	•	•	• Direction Indicator 2mm(D) X 10mm(L) 3ea.	DI100	•	•	•
Countersink Drill OSSEOTITE XP 5/6 PREVAIL 5/6/5	CD5600				• Stainless Steel Round Drill 2mm(D)	RD100	•	•	•



BIOMET **3i** offers a family of synergistic system solutions to help you and your patients achieve beautiful, confident and healthy smiles.



■ Smile Beautifully ■ Smile Confidently ■ Smile Healthy

For more information regarding Smile Therapy™ System Solutions, please contact your local BIOMET **3i** Sales Representative.



Check Out The BIOMET **3i** Online Store at www.shopbiomet3i.com
(Available for Spain & US Customers Only)



Global Headquarters
4555 Riverside Drive
Palm Beach Gardens, FL 33410
Toll Free: 1-800-342-5454
Phone: +1-561-776-6700
Fax: +1-561-776-1272
www.biomet3i.com

EC REP BIOMET **3i** Dental Ibérica S.L.
EMEA Headquarters
WTC Almeda Park, Ed. 4, Planta 2
C/Tirso de Molina, 40
08940, Cornellà de Llobregat (Barcelona) Spain
Phone: +34-93-470-55-00
Fax: +34-93-371-78-49
www.biomet3i.com



All trademarks herein are the property of BIOMET **3i** LLC unless otherwise indicated. LOCATOR is a registered trademark of Zest Anchors, Inc. ©2015 BIOMET **3i** LLC.

This material is intended for clinicians only and is NOT intended for patient distribution. This material is not to be redistributed, duplicated or disclosed without the express written consent of BIOMET **3i**. For additional product information, including indications, contraindications, warnings, precautions and potential adverse effects, please visit the BIOMET **3i** Website: www.ifu.biomet3i.com.



ART1048
REV H 11/15