





The Paralled Walled Surgical Kit & Component Assembly



Simple Steps For The Selection And



and Replacement Of Instrumentation



1
RD100



2
ACTDE



3
ACT20XX



4
PD100



5
ACT27XX



6
ACT30XX



7
ACT32XX



8
CD100



9
ICD100



10
ICD100



11
CD4500



12
CDI4500



13
CD500



14
ACT38XX



15
ACT42XX



16
CD5600



17
CDI5600



18
CD600



19
ACT48XX



20
ACT52XX



31
TAP413



32
TAP53S



33
TAP63S



34
DI100



35
MMC15



36
MDR10



37
RE100



38
RE200



39
XTAP53S



40
XTAP63S

Site Preparation Technologies

PSKT40 Premium Kit



Parallel Walled Surgical Kits

 PSKT01 Starter (Basic) Kit	 PSKT35 Certain® Premium Kit	 PSKT40 Premium Kit	Description	Item Numbers
•	•	•	Plastic Surgical Tray Organizer	PTT300I
		•	Plastic Tray Organizer for PTT300I	PTT100
	•	•	ACT® Reusable Twist Drill, 2mm(D) x 10mm(L)	ACT2010
•	•	•	ACT Reusable Twist Drill, 2mm(D) x 15mm(L)	ACT2015
	•	•	ACT Reusable Twist Drill, 2mm(D) x 20mm(L)	ACT2020
	•	•	ACT Reusable Twist Drill, 2.75mm(D) x 10mm(L)	ACT2710
•	•	•	ACT Reusable Twist Drill, 2.75mm(D) x 15mm(L)	ACT2715
		•	ACT Reusable Twist Drill, 2.75mm(D) x 20mm(L)	ACT2720
	•	•	ACT Reusable Twist Drill, 3mm(D) x 10mm(L)	ACT3010
•	•	•	ACT Reusable Twist Drill, 3mm(D) x 15mm(L)	ACT3015
		•	ACT Reusable Twist Drill, 3mm(D) x 20mm(L)	ACT3020
	•	•	ACT Reusable Twist Drill, 3.25mm(D) x 10mm(L)	ACT3210
•	•	•	ACT Reusable Twist Drill, 3.25mm(D) x 15mm(L)	ACT3215
		•	ACT Reusable Twist Drill, 3.25mm(D) x 20mm(L)	ACT3220
•	•	•	ACT Reusable Twist Drill, 3.85mm(D) x 10mm(L)	ACT3810
•	•	•	ACT Reusable Twist Drill, 3.85mm(D) x 15mm(L)	ACT3815
•	•	•	ACT Reusable Twist Drill, 3.85mm(D) x 20mm(L)	ACT3820
	•	•	ACT Reusable Twist Drill, 4.25mm(D) x 8.5mm(L)	ACT4285
•	•	•	ACT Reusable Twist Drill, 4.25mm(D) x 13mm(L)	ACT4213
	•	•	ACT Reusable Twist Drill, 4.25mm(D) x 18mm(L)	ACT4218
	•	•	ACT Reusable Twist Drill, 4.85mm(D) x 8.5mm(L)	ACT4885
	•	•	ACT Reusable Twist Drill, 4.85mm(D) x 13mm(L)	ACT4813
	•	•	ACT Reusable Twist Drill, 4.85mm(D) x 18mm(L)	ACT4818
	•	•	ACT Reusable Twist Drill, 5.25mm(D) x 8.5mm(L)	ACT5285
	•	•	ACT Reusable Twist Drill, 5.25mm(D) x 13mm(L)	ACT5213
	•	•	ACT Reusable Twist Drill, 5.25mm(D) x 18mm(L)	ACT5218
•	•	•	ACT Drill Extension	ACTDE
	•	•	Countersink Drill, OSSEOTITE XP® 4/5, PREVAIL® 4/5/4	CD4500
•	•	•	Countersink Depth Indicator for CD4500	CDI4500
•	•	•	Countersink/Pilot Drill, 5mm(D)	CD500
	•	•	Countersink Drill, OSSEOTITE XP 5/6, PREVAIL 5/6/5	CD5600

Icon Descriptions:

The following icons are used to represent the connection type of the implant system:

 Internal  External

Site Preparation Technologies

Parallel Walled Surgical Kits Cont'd

 PSKT01 Starter (Basic) Kit	 PSKT35 Certain® Premium Kit	 PSKT40 Premium Kit	Description	Item Numbers
•	•	•	Countersink Depth Indicator for CD5600	CDI5600
•	•	•	Certain® Countersink Drill, PREVAIL® 3/4/3	ICD100
•	•	•	Countersink Depth Indicator for ICD100	ICDI100
•		•	Countersink Drill, 4.1mm	CD100
	•	•	Countersink/Pilot Drill, 6mm(D)	CD600
•	•	•	Pilot Drill, 2-3mm(D)	PD100
	•	•	Implant Dense Bone Tap, 3.25mm(D) x 18mm(L)	MTAP2
	•	•	Implant Dense Bone Tap, 4mm(D) x 13mm(L)	TAP413
	•	•	Implant Dense Bone Tap, 5mm(D) x 13mm(L)	TAP53S
		•	Implant Dense Bone Tap, 6mm(D) x 13mm(L)	TAP63S
	•	•	OSSEOTITE® 2 Dense Bone Tap, 5mm(D) x 7-13mm(L)	XTAP53S
		•	OSSEOTITE 2 Dense Bone Tap, 6mm(D) x 7-13mm(L)	XTAP63S
	•	•	Certain Implant Driver Tip (Short), 3.4mm(D)	IMPPTS
•	•	•	Certain Implant Driver Tip (Long), 3.4mm(D)	IMPDTL
•	•	•	Certain Implant Placement Driver Tip (Short), 4.1, 5, 6mm(D)	IIPPTS
•	•	•	Certain Implant Placement Driver Tip (Long), 4.1, 5, 6mm(D)	IIPDTL
•	•	•	Certain Universal Ratchet Extension Driver (Short), 6mm(L)	IRE100U
•	•	•	Certain Universal Ratchet Extension Driver (Long), 15mm(L)	IRE200U
•		•	Narrow Small Hex Hand Driver, 17mm(L)	PHD00N
•	•	•	Narrow Large Hex Hand Driver, 17mm(L)	PHD02N
•	•	•	Narrow Large Hex Driver, Tip 24mm(L)	RASH3N
	•	•	Driver Tip Replacement O-Rings, 10-Pack	IRORDR
•	•	•	Handpiece Connector	MDR10
•		•	Open End Wrench	CW100
•	•	•	Ratchet Wrench	WR150
•		•	Ratchet Extension (Short), 6mm(L)	RE100
•	•	•	Ratchet Extension (Long), 15mm(L)	RE200
•	•	•	Implant Depth Gauge, 20mm(L)	DP020
•		•	Implant Mount, 3.4mm(D) x 15mm(L)	MMC15
•	•	•	Direction Indicator, 2mm(D) x 10mm(L) 3ea.	DI100
•	•	•	Stainless Steel Round Drill, 2mm(D)	RD100

Site Preparation Technologies

Parallel Walled Surgical Kits

 PSKT10 Starter (Basic) Kit	 PSKT20 Standard Kit	 PSKT30 Premium Kit	 PSKT30U Upgrade Kit	Description	Item Numbers
			•	Plastic Insert for Tray	PTT300UI
•	•	•		Plastic Surgical Tray Organizer	PTT300I
	•	•		Plastic Organizer Tray for PTT300I	PTT100
	•	•		ACT® Reusable Twist Drill, 2mm(D) x 10mm(L)	ACT2010
	•	•		ACT Reusable Twist Drill, 2mm(D) x 15mm(L)	ACT2015
	•	•		ACT Reusable Twist Drill, 2mm(D) x 20mm(L)	ACT2020
	•	•		ACT Reusable Twist Drill, 2.75mm(D) x 10mm(L)	ACT2710
	•	•		ACT Reusable Twist Drill, 2.75mm(D) x 15mm(L)	ACT2715
	•	•		ACT Reusable Twist Drill, 2.75mm(D) x 20mm(L)	ACT2720
	•	•		ACT Reusable Twist Drill, 3mm(D) x 10mm(L)	ACT3010
	•	•		ACT Reusable Twist Drill, 3mm(D) x 15mm(L)	ACT3015
	•	•		ACT Reusable Twist Drill, 3mm(D) x 20mm(L)	ACT3020
	•	•		ACT Reusable Twist Drill, 3.25mm(D) x 10mm(L)	ACT3210
	•	•		ACT Reusable Twist Drill, 3.25mm(D) x 15mm(L)	ACT3215
	•	•		ACT Reusable Twist Drill, 3.25mm(D) x 20mm(L)	ACT3220
		•		ACT Reusable Twist Drill, 4.25mm(D) x 8.5mm(L)	ACT4285
		•		ACT Reusable Twist Drill, 4.25mm(D) x 13mm(L)	ACT4213
		•		ACT Reusable Twist Drill, 4.25mm(D) x 18mm(L)	ACT4218
		•		ACT Reusable Twist Drill, 5.25mm(D) x 8.5mm(L)	ACT5285
		•		ACT Reusable Twist Drill, 5.25mm(D) x 13mm(L)	ACT5213
		•		ACT Reusable Twist Drill, 5.25mm(D) x 18mm(L)	ACT5218
	•	•		ACT Drill Extension	ACTDE
	•	•		Pilot Drill, 2-3mm(D)	PD100
	•	•		Countersink Drill, 4.1mm	CD100
			•	Certain® Countersink Drill, PREVAIL® 3/4/3	ICD100
		•		Countersink Drill, OSSEOTITE XP® 4/5, PREVAIL 4/5/4	CD4500
		•		Countersink/Pilot Drill, 5mm(D)	CD500
		•		Countersink Drill, OSSEOTITE XP 5/6, PREVAIL 5/6/5	CD5600
		•		Countersink/Pilot Drill, 6mm(D)	CD600
	•	•		Implant Dense Bone Tap, 3.25mm(D) x 18mm(L)	MTAP2
	•	•		Implant Dense Bone Tap, 4mm(D) x 13mm(L)	TAP413
		•		Implant Dense Bone Tap, 5mm(D) x 13mm(L)	TAP53S
		•		Implant Dense Bone Tap, 6mm(D) x 13mm(L)	TAP63S
		•		OSSEOTITE® 2 Dense Bone Tap, 5mm(D) x 7-13mm(L)	XTAP53S
		•		OSSEOTITE 2 Dense Bone Tap, 6mm(D) x 7-13mm(L)	XTAP63S
			•	Certain Implant Driver Tip (Short), 3.4mm(D)	IMPDTS
			•	Certain Implant Driver Tip (Long), 3.4mm(D)	IMPDTL

Icon Descriptions:

The following icons are used to represent the connection type of the implant system:

 Internal  External

Site Preparation Technologies

Parallel Walled Surgical Kits Cont'd

 PSKT10 Starter (Basic) Kit	 PSKT20 Standard Kit	 PSKT30 Premium Kit	 PSKT30U Upgrade Kit	Description	Item Numbers
			•	Certain® Implant Placement Driver Tip (Short), 4.1, 5, 6mm(D)	IIPDTS
			•	Certain Implant Placement Driver Tip (Long), 4.1, 5, 6mm(D)	IIPDTL
			•	Certain Universal Ratchet Extension Driver (Short), 6mm(L)	100U
			•	Certain Universal Ratchet Extension Driver (Long), 15mm(L)	IRE200U
•	•	•		Narrow Small Hexed Hand Driver, 17mm(L)	PHD00N
•	•	•		Narrow Large Hexed Hand Driver, 17mm(L)	PHD02N
•	•	•		Narrow Large Hex Driver Tip, 24mm(L)	RASH3N
			•	Driver Tip Replacement O-Rings, 10-pack	IRORDR
•	•	•		Handpiece Connector	MDR10
•	•	•		Open End Wrench	CW100
•	•	•		Ratchet Wrench	WR150
•	•	•		Ratchet Extension (Short), 6mm(L)	RE100
•	•	•		Ratchet Extension (Long), 15mm(L)	RE200
•	•	•		Implant Depth Gauge, 20mm(L)	DP020
	•	•		Implant Mount, 3.4mm(D) x 15mm(L)	MMC15
	•	•		Direction Indicator, 2mm(D) x 10mm(L) 3ea.	DI100
	•	•		Stainless Steel Round Drill, 2mm(D)	RD100

OSSEOTITE[®] 2 Dense Bone Tap Ordering Information

Length	5.0mm(D)	6.0mm(D)
6.5/7.0(L) - 8.5mm(L)	XTAP58S	XTAP68S
6.5/7.0(L) - 13.0mm(L)	XTAP53S	XTAP63S
6.5/7.0(L) - 18.0mm(L)	XTAP518S	XTAP618S

Note: Tapping in dense bone is required. Exceeding an insertion torque of more than 90Ncm may deform or strip the driver tip or the implant's internal hex and may possibly delay the surgical procedure.

**WANT SIMPLICITY
IN SITE
PREPARATION?**

**TRY THE
PARALLEL WALLED
SURGICAL KIT TODAY!**


www.biomet3i.com

***For More Information, Please Contact Your Local BIOMET 3i Sales Representative
Or Visit www.biomet3i.com***



Global Headquarters
4555 Riverside Drive
Palm Beach Gardens, FL 33410
1-800-342-5454
Outside the U.S.: +1-561-776-6700
Fax: +1-561-776-1272
www.biomet3i.com

EC REP
BIOMET 3i
Europe, Middle East & Africa
WTC Almeda Park, Ed. 1, Planta 1ª
Pl. de la Pau, s/n
08940, Cornellà de Llobregat
(Barcelona) Spain
Phone: +34-93-470-55-00
Fax: +34-93-371-78-49



ACT, Certain and OSSEOTITE XP are registered trademarks and Providing Solutions – One Patient At A Time and design are trademarks of BIOMET 3i LLC.
©2013 BIOMET 3i LLC. All rights reserved.

All trademarks herein are the property of BIOMET 3i LLC unless otherwise indicated. This material is intended for clinicians only and is NOT intended for patient distribution. This material is not to be redistributed, duplicated, or disclosed without the express written consent of BIOMET 3i. For additional product information, including indications, contraindications, warnings, precautions, and potential adverse effects, see the product package insert and the BIOMET 3i Website.



INST979
REV A 06/14